



## Wet Riser Pressure Reducing Valves



Keeping the art of distribution simple



# Keeping the art of distribution simple

IN DIAN



#### Wet Riser Pressure Reducing Valves

# Shawston now supply a full range of Wet Riser Pressure Reducing Valves.

Shawston are recognised as the leading fire protection supplier in the UK and have formed an unrivalled alliance with Hydrotech Mechanical Ltd. an industry leading fire protection manufacturer of residential fire products.

Shawston are now in a position to supply, on an ex-stock basis a wellengineered Wet Riser Pressure Reducing Valve with several advantages over other UK brands. Our Wet Riser Pressure Reducing Valve uses a higher grade rubber gasket therefore eliminating the risk of drips and leaks on commissioning and saves on lost time revisiting projects to solve leaky valve issues. At Shawston we like to keep the art of distribution simple.

#### Install and move on.

Our relationship with Hydrotech Mechanical Ltd is unique in that it allows Shawston to offer UK based technical support to help troubleshoot any technical problems that can arise on major projects. Call-out options are also available for top level technical problems. The in-house team have a wealth of technical knowledge and experience.

With our network of 5 nationwide depots, our own extensive 22-strong vehicle fleet and our deep stock levels you can be assured that Shawston will deliver your ex-stock goods in full and on time.

Shawston have invested heavily, in ensuring this vital piece of residential fire protection equipment is readily available, during these times of market growth and high demand. Delivered via our 'Just-In-Time' delivery to site service.

No clock watching on site waiting for product deliveries or exaggerated product lead times.

The Shawston Wet Riser Pressure Reducing Valves are available NOW!



London 01494 460 910 London@shawston.co.uk Birmingham 0121 556 3400 Birmingham@shawston.co.uk Manchester 0161 368 4545 Manchester@shawston.co.uk Glasgow 0141 778 6975 Glasgow@shawston.co.uk

#### Wet Riser Pressure Reducing Valve benefits;

- A well-engineered wet riser pressure reducing valve with several advantages over other UK brands
  - Higher grade of rubber gasket, no leaks on commissioning (subject to T&C of sale)
  - » No lost time re-visiting drips/leaks no labour recalls
  - » No client embarrassment due to leaks on or after commissioning
  - » Fully traceable chain of custody back to Shawston partner manufacture
- Product is stocked in-depth at Shawston for Just-In-Time delivery to site
- · Project management with bonded stocks for call off
- Fixed prices for projects/call-offs
- Manufacturer support IN THE UK with call-out options to trouble shoot genuine technical problems

#### Don't forget!

Shawston also carry a full range of dry and wet riser cabinets, galvanised riser tube, valves (and accessories) making Shawston THE ONLY national multi depot supplier of dry and wet riser packages in the UK.

Prices and terms and conditions of sale can be discussed with your usual Shawston contact, or by making contact with any of the Shawston depots.

# Keeping the art of distribution simple





London 01494 460 910 London@shawston.co.uk Birmingham 0121 556 3400 Birmingham@shawston.co.uk Manchester 0161 368 4545 Manchester@shawston.co.uk

Glasgow 0141 778 6975 Glasgow@shawston.co.uk

#### Wet Riser Pressure Reducing Valve



The HV010 65mm bib nose high pressure regulating landing valve is fully adjustable, which allows the installer to set manually to accommodate for head loss at the valve.

The valve counter balance spring design allows the outlet pressure flow range to be set from 10 to 30 bars.

The valve/spring can be adjusted and set to the desired flow by rotating the lower valve housing using a 'C' spanner.

The design and construction of the landing valve are strictly in accordance with BS5041:Part 1 and the requirements of BS9990:2015.

The HV010 Pressure Reducing Valve can be specified with a higher rated PN40 flange upgraded from the standard PN25.

CODE	SPECIFICATION	APPROX. WEIGHT (kg)
HV010	Inlet Flanged 65mm PN25	12
HV022	Drain Line Test Valve (using 2" Gate Valve) BN, Gate Valve & Coupling - Brass	3.16

London 01494 460 910 London@shawston.co.uk Birmingham 0121 556 3400 Birmingham@shawston.co.uk Manchester 0161 368 4545 Manchester@shawston.co.uk Glasgow 0141 778 6975 Glasgow@shawston.co.uk

### www.shawston.co.uk

Shawston London

Units 8 & 9, Hillbottom Road, Sands Industrial Estate, High Wycombe, Bucks HP12 4HS

Tel: 01494 460 910 Fax: 01494 522 573 Email: London@shawston.co.uk

#### Shawston Birmingham

Bay 1, Block D, The Bescot Estate, Woden Road West, Wednesbury West Midlands WS10 7SG

Tel: 0121 556 3400 Fax: 0121 506 4669 Email: Birmingham@shawston.co.uk

#### Shawston Manchester

Great Norbury Street, Hyde, Cheshire SK14 1BW

Tel: 0161 368 4545 Fax: 0161 367 8114 Email: Manchester@shawston.co.uk

Shawston Glasgow Block 1 Unit 4, Annick Industrial Estate, 31 Sandilands Street, Shettleston, Glasgow G32 OHT

Tel: 0141 778 6975 Fax: 0141 778 6264 Email: Glasgow@shawston.co.uk